



tradeex

TRADEEX WORLD SOURCING PTY LTD

(ALL PRICES IN AUD – CONTACT US FOR A FREE QUOTATION)




tradeex




HD-IP Camera Price List

Version: V201911A



2MP HD-IP Cameras (Fixed Dome)							
Product Show	Resolution	Model No.	Unit Price AUD/SET	Solution	Specification	Smart Function	Chief Characteristics
	2MP (1080P)	DPA-GM200IP	\$25	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	Plastic IR Smart Analysis Dome 3pcs Array IR Led IR Distance: 10-20M Board Lens: 3.6mm/2.8mm Water Resistance: IP66 Cable Interface: RJ45+DC+Built-in Microphone Add \$2 for POE Function
		DPA-GH200IP	\$26.0	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; Built in Microphone		
		DPA-IH200IP	\$34.6	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps; Built in Microphone		
	2MP (1080P)	DPB-GM200IP	\$25	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	Plastic IR Smart Analysis Dome 2pcs Array IR Led IR Distance: 10-20M Board Lens: 3.6mm/2.8mm Water Resistance: IP66 Cable Interface: RJ45+DC+Built-in Microphone Add \$2 for POE Function
		DPB-GH200IP	\$26.0	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; Built in Microphone		
		DPB-IH200IP	\$34.6	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps; Built in Microphone		
	2MP (1080P)	DMA-GM200IP	\$31	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof Metal IR Smart Analysis Dome Plastic Base 6pcs Array IR Led IR Distance: 20M Board Lens: 3.6mm/2.8mm Waterproof level: IP67 Cable Interface: RJ45+DC+Built-in Microphone+1CH RCA Input Add \$2 for POE Function
		DMA-GH200IP	\$36	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; Built in Microphone		
		DMA-IH200IP	\$40	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps; Built in Microphone		
	2MP (1080P)	DCG-GM200IP	\$30	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 2.5" Metal IR Smart Analysis Dome 18pcs SMD IR Led IR Distance: 10-20M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$3 for POE Function
		DCG-GH200IP	\$30	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		DCG-IH200IP	\$42	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	2MP (1080P)	DDL-GM200IP	\$35.2	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 2.5" Metal IR Smart Analysis Dome 12pcs 5 IR Led IR Distance: 10M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$3 for POE Function
		DDL-GH200IP	\$41.2	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		DDL-IH200IP	\$48	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		




	2MP (1080P)	DDC-GM200IP	\$36	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 2.5" IR Smart Analysis Dome 12pcs SMD IR Led IR Distance: 10-15M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for POE Function
		DDC-GH200IP	\$36	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		DDC-IH200IP	\$48	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		

2MP HD-IP Cameras (Varifocal & Motor Zoom Dome)





Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification	Chief Characteristics	
	2MP (1080P)	DCDT-MGM200IP	\$46	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof Metal IR Smart Analysis Dome 24pcs SMD IR Led IR Distance: 30-35M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$3 for POE Function
		DCDT-MGH200IP	\$46.5	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		DCDT-MIH200IP	\$56	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	2MP (1080P)	DDAT-MGM200IP	\$48	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 3.5" IR Smart Analysis Dome 24pcs 5 IR Led IR Distance: 25-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for POE Function
		DDAT-MGH200IP	\$50	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		DDAT-MIH200IP	\$60	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	AF-2MP (1080P)	DDAT-AGH200IP	\$54	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; 2.8-12mm Motor Zoom Auto Focus Lens Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	
	2MP (1080P)	DDCT-MGM200IP	\$56	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 4" IR Smart Analysis Dome 18pcs SMD IR Led IR Distance: 20-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+ 1CH RCA Output Add \$2 for POE Function
		DDCT-MGH200IP	\$56	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		DDCT-MIH200IP	\$66	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	AF-2MP (1080P)	DDCT-AGH200IP	\$80	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body	





2MP HD-IP Cameras (Fixed Bullet)


Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification	Chief Characteristics	
	2MP (1080P)	BMA20-GM200IP	\$26	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Metal Base Waterproof Bullet 6pcs Array IR Led IR Distance: 20M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Cable Interface: RJ45+DC Add \$2 for Internal POE Function
		BMA20-GH200IP	\$26	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		BMA20-IH200IP	\$36	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	2MP (1080P)	BMC20-GM200IP	\$30	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 18pcs SMD IR Led IR Distance: 20M Board Lens: 3.6mm Water Resistance: IP67 Cable Interface: RJ45+DC+ Built-in Microphone + 1CH RCA Input Add \$2 for Internal POE Function
		BMC20-GH200IP	\$32	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; Built in Microphone		
		BMC20-IH200IP	\$40	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps; Built in Microphone		



	2MP (1080P)	BMD20-GM200IP	\$28	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 18pcs SMD IR Led IR Distance: 20M Board Lens: 3.6mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for Internal POE Function
		BMD20-GH200IP	\$28	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		BMD20-IH200IP	\$40	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	2MP (1080P)	BYA20-GM200IP	\$28	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 6pcs Array IR Led IR Distance: 20M Board Lens: 3.6mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for Internal POE Function
		BYA20-GH200IP	\$30	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		BYA20-IH200IP	\$40	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	2MP (1080P)	BGA50-GM200IP	\$32	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 4pcs Array IR Led IR Distance: 40-50M Board Lens: 3.6mm/6mm Water Resistance: IP67 Cable Interface: RJ45+DC+Built-in Microphone- 1CH RCA Input Add \$2 for Internal POE Function
		BGA50-GH200IP	\$32	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; Built in Microphone		
		BGA50-IH200IP	\$42	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps; Built in Microphone		

2MP HD-IP Cameras (Varifocal & Motor Zoom Bullet)






Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification	Chief Characteristics	
	2MP (1080P)	BGBT30-MGM200IP	\$46	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Varifocal Metal Bullet 24pcs SMD IR Led IR Distance: 25-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output Add \$2 for Internal POE Function
		BGBT30-MGH200IP	\$48	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		BGBT30-MIH200IP	\$56	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	2MP (1080P)	BEFT30-MGM200IP	\$48	GC2053 + MSC313E (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 2MP@25fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Varifocal Metal Bullet 24pcs SMD IR Led IR Distance: 25-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for Internal POE Function
		BEFT30-MGH200IP	\$50	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps;		
		BEFT30-MIH200IP	\$56	IMX307 + Hi3516EV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS Sensor, 3MP@20fps, 2MP@25/30fps;		
	AF-2MP (1080P)	BEFT30-AGH200IP	\$74	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; 2.8-12mm Motor Zoom Auto Focus Lens Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	
	AF-2MP (1080P)	BGAT50-AGH200IP	\$66.0	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; Built-in Microphone 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	IR Smart Analysis Bullet Waterproof Auto Focus Metal Bullet 4pcs Array IR Led IR Distance: 40-50M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+Built-in Microphone+ 1CH RCA Input Add \$2 for Internal POE Function
	AF-2MP (1080P)	BGFT40-AGH200IP	\$90.0	GC2053 + Hi3516EV200 (H.265/H.264)	1/2.9" Smart Progressive Scan CMOS; 3MP@20fps, 2MP@25/30fps; 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	IR Smart Analysis Bullet Waterproof Auto Focus Metal Bullet 6pcs Array IR Led IR Distance: 30-40M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output+1ch Alarm Output 1ch Add \$2 for Internal POE






5MP HD-IP Cameras (Fixed Dome)							
Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification	Smart Function	Chief Characteristics
	5MP	DPA-SM500IP	\$40	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	Plastic IR Smart Analysis Dome 3pcs Array IR Led IR Distance: 10-20M Board Lens: 3.6mm/2.8mm Water Resistance: IP66 Cable Interface: RJ45+DC+Built-in Microphone Add \$2 for Internal POE Function
	5MP	DPB-SM500IP	\$40	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	Plastic IR Smart Analysis Dome 2pcs Array IR Led IR Distance: 10-20M Board Lens: 3.6mm/2.8mm Water Resistance: IP66 Cable Interface: RJ45+DC+Built-in Microphone Add \$2 for Internal POE Function
	5MP	DCG-SM500IP	\$44	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 2.5" Metal IR Smart Analysis Dome 18pcs SMD IR Led IR Distance: 10-20M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$3 for Internal POE Function
	5MP	DDL-SM500IP	\$54	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 2.5" Metal IR Smart Analysis Dome 12pcs 5 IR Led IR Distance: 10M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$3 for Internal POE Function
	5MP	DMA-SM500IP	\$50	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone Cable Interface: RJ45+DC+Built-in Microphone+ 1CH RCA Input	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof Metal IR Smart Analysis Dome Plastic Base 6pcs Array IR Led IR Distance: 20M Board Lens: 3.6mm/2.8mm Waterproof level:IP67 Add \$3 for Internal POE Function
		DMA-IH500IP	\$99	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output		
	5MP	DDC-SM500IP	\$54	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone Cable Interface: RJ45+DC+1CH RCA Input	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 2.5" IR Smart Analysis Dome 12pcs SMD IR Led IR Distance: 10-15M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Add \$3 for Internal POE Function
		DDC-IH500IP	\$120	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output		




5MP HD-IP Cameras (Varifocal & Motor Zoom Dome)							
Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification	Smart Function	Chief Characteristics
	5MP	DCDT-MSM500IP	\$66	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof Metal IR Smart Analysis Dome 24pcs SMD IR Led IR Distance: 30-35M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$3 for POE Function

	5MP	DDAT-SM500IP	\$37.8	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 3.5" IR Smart Analysis Dome 24pcs 5 IR Led IR Distance: 25-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$3 for POE Function
		DDAT-MIH200IP	\$140	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps		
	AF-5MP	DDAT-ASM500IP	\$88	Hi3516EV200 + GC2053 (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; 2.8-12mm Motor Zoom Auto Focus Lens Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	
	5MP	DDCT-MSM500IP	\$80	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 4" IR Smart Analysis Dome 18pcs SMD IR Led IR Distance: 20-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+ 1CH RCA Output Add \$2 for POE Function
		DDCT-MIH500IP	\$150	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps		
	AF-5MP	DDCT-ASM500IP	\$90	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	
		DDCT-AIH500IP	\$161	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps 2.8-12mm Motor Zoom Auto Focus Lens		

5MP HD-IP Cameras (Fixed Bullet)

Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification		Chief Characteristics
	5MP	BMA20-SM500IP	\$40	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Metal Base, Plastic Cover Waterproof Bullet 6pcs Array IR Led IR Distance: 20M Board Lens: 3.6mm/2.8mm Water Resistance: IP67 Cable Interface: RJ45+DC Add \$2 for Internal POE Function
	5MP	BMD20-SM500IP	\$46	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 18pcs SMD IR Led IR Distance: 20M Board Lens: 3.6mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for Internal POE Function
	5MP	BMC20-SM500IP	\$48	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone Cable Interface: RJ45+DC+Built-in Microphone+ 1CH RCA Input	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 18pcs SMD IR Led IR Distance: 20M Board Lens: 3.6mm Water Resistance: IP67 Add \$2 for Internal POE Function
		BMC20-IH500IP	\$99	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output		
	5MP	BYA20-SM500IP	\$46	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 6pcs Array IR Led IR Distance: 20M Board Lens: 3.6mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for Internal POE
		BYA20	\$99	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps		
	5MP	BGA50-SM500IP	\$48	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone Cable Interface: RJ45+DC+Built-in Microphone+ 1CH RCA Input	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 4pcs Array IR Led IR Distance: 40-50M Board Lens: 3.6mm/6mm Water Resistance: IP67 Add \$2 for Internal POE Function
		BGA50-IH500IP	\$99	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output		

5MP HD-IP Cameras (Varifocal & Motor Zoom Bullet)							
Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification		Chief Characteristics
	5MP	BGBT30-MSM500IP	\$75	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Varifocal Metal Bullet 24pcs SMD IR Led IR Distance: 25-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output Add \$2 for Internal POE Function
		BGBT30-AIH500IP	\$140.0	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps		
	5MP	BEFT30-MSM500IP	\$80	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps;	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Varifocal Metal Bullet 24pcs SMD IR Led IR Distance: 25-30M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input Add \$2 for Internal POE Function
		BEFT30-MIH500IP	\$140	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps		
	AF-5MP	BEFT30-ASM500IP	\$88.0	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	IR Smart Analysis Bullet Waterproof Auto Focus Metal Bullet 4pcs Array IR Led IR Distance: 40-50M Water Resistance: IP67 Add \$2 for Internal POE Function
		BEFT30-AIH500IP	\$140	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps 2.8-12mm Motor Zoom Auto Focus Lens		
	AF-5MP	BGAT50-ASM500IP	\$80	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; Built in Microphone 2.8-12mm Motor Zoom Auto Focus Lens Cable Interface: RJ45+DC+Built-in Microphone+ 1CH RCA Input	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	IR Smart Analysis Bullet Waterproof Auto Focus Metal Bullet 4pcs Array IR Led IR Distance: 40-50M Water Resistance: IP67 Add \$2 for Internal POE Function
		BGAT50-AIH500IP	\$140	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps 2.8-12mm Motor Zoom Auto Focus Lens Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output		
	AF-5MP	BGFT40-ASM500IP	\$101	SC5235 + MSC316DM (H.265/H.264)	1/2.7" Smart CMOS Sensor; 5MP@15fps, 4MP@25fps; 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	IR Smart Analysis Bullet Waterproof Auto Focus Metal Bullet 6pcs Array IR Led IR Distance: 30-40M 2.8-12mm Manual Zoom Lens Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output+Alarm Input 1ch+Alarm Output 1ch
		BGFT40-AIH500IP	\$172	IMX335 + Hi3516AV200 (H.265/H.264)	1/2.8" SONY Starvis Back-illuminated CMOS sensor, 5MP@25/30fps 2.8-12mm Motor Zoom Auto Focus Lens		
8MP HD-IP Cameras Dome/Bullet (Fixed & Motor Zoom)							
Product Show	Resolution	Model No.	Unit Price USD/SET	Solution	Specification		Chief Characteristics
	8MP	DDA-IHA800IP	\$199.0	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, Hi3516AV200, 8MP@15fps, 5MP@25fps/30fps	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 3.5" IR Smart Analysis Dome 24pcs 5 IR Led IR Distance: 25-30M Board Lens: 3.6mm Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output Add \$3 for POE Function
		DDA-IHV800IP	\$290	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, Hi3519V101, 8MP/5MP/4MP@25fps/30fps		
	8MP	BGB30-IHA800IP	\$190	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP@15fps, 5MP@25fps/30fps Board Lens: 3.6mm	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 24pcs SMD IR Led IR Distance: 25-30M Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output Add \$3 for POE Function
		BGB30-IHV800IP	\$282	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP/5MP/4MP@25fps/30fps Board Lens: 3.6mm		
	8MP	BGBT30-MIHA800IP	\$228	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP@15fps, 5MP@25fps/30fps 2.8-12mm Manual Zoom Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Auto Focus Metal Bullet 4pcs Array IR Led IR Distance: 40-50M Water Resistance: IP67 Add \$2 for Internal POE Function
		BGBT30-MIHV800IP	\$328	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP/5MP/4MP@25fps/30fps 2.8-12mm Manual Zoom Lens		

	8MP	BGA50-IHA800IP	\$199	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP@15fps, 5MP@25fps/30fps Board Lens: 3.6mm/6mm	Object Count Line Cross Alarm Object Left/Lost Area Detection	IR Smart Analysis Bullet Waterproof Metal Bullet 4pcs Array IR Led IR Distance: 40-50M Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output Add \$3 for POE Function
		BGA50-IHV800IP	\$280	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP/5MP/4MP@25fps/30fps Board Lens: 3.6mm/6mm		
	AF-8MP	BGAT50-MIHA800IP	\$248	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP@15fps, 5MP@25fps/30fps 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	
		BGAT50-MIHV800IP	\$346	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP/5MP/4MP@25fps/30fps 2.8-12mm Motor Zoom Auto Focus Lens		
	8MP	DDCT-MIHA800IP	\$234	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP@15fps, 5MP@25fps/30fps 2.8-12mm Manual Zoom Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection	Vandalproof & Weatherproof 4" IR Smart Analysis Dome 18pcs SMD IR Led IR Distance: 20-30M Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+ 1CH RCA Output Add \$2 for POE Function
		DDCT-MIHV800IP	\$332	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP/5MP/4MP@25fps/30fps 2.8-12mm Manual Zoom Lens		
	AF-8MP	DDCT-AIHA800IP	\$262	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP@15fps, 5MP@25fps/30fps 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	
		DDCT-AIHV800IP	\$360	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP/5MP/4MP@25fps/30fps 2.8-12mm Motor Zoom Auto Focus Lens		
	AF-8MP	BGFT40-AIHA800IP	\$280	IMX334 + Hi3516AV200 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP@15fps, 5MP@25fps/30fps 2.8-12mm Motor Zoom Auto Focus Lens	Object Count Line Cross Alarm Object Left/Lost Area Detection Human Body Detection	IR Smart Analysis Bullet Waterproof Auto Focus Metal Bullet 6pcs Array IR Led IR Distance: 30-40M Water Resistance: IP67 Cable Interface: RJ45+DC+1CH RCA Input+1CH RCA Output+Alarm Input 1ch+Alarm Output 1ch Add \$2 for Internal POE
		BGFT40-AIHV800IP	\$380	IMX334 + Hi3519V101 (H.265/H.264)	1/1.8" Sony IMX334 Exmor CMOS, 8MP/5MP/4MP@25fps/30fps 2.8-12mm Motor Zoom Auto Focus Lens		

Terms & Conditions

Terms of Payment: T/T, Paypal

Price Terms: FOB price

Warranty: Two Years After Shipping Date

Attention: The unit price may fluctuate according to the change of parameters and market.

TRADEEX WORLD SOURCING PTY LTD

Bibra Lake 6163 WA, AUSTRALIA

Email: tradeexworldsourcing@gmail.com

W. www.tradeexworldsourcing.com.au

T. +61 401 881 214

abn. 756 303 16 166