






**TRADEEX WORLD SOURCING PTY LTD  
AUSTRALIA**

*For a full quotation please contact us*

Picture	Model	Details	Unit Price(EXW)	G.W(kg)	Packing Size(cm)
	tradeexDU11	High-speed handpiece tubing with connector 2 set Low-speed handpiece tubing with connector 1 set 3-way syringe(cold and hot) 2 pieces Strong and weak suction 1 set each Adjustable headrest 1 set Double armrest 1 set Down-mounted tool tray 1 set 5-position for handpieces, syringe and scaler Water suction and saliva ejector 1 set each LED operation lamp with sensor 1 set 24V Opg X-ray film viewer 1 set 24V DC motors 1 set Assistant control sytem with control panel 1 set Water purified system 1 set 24V Water heating system 1 set Water bottle 2 pcs 3 in 1 tissue box CX-198 Auto water supply and flush cuspidor system 1 set Turnable glass cuspidor 1 set 6 functions foot pedal 1 set Dentist stool 1 piece PU leather cushion 1 set Solenoid valve 2 pcs	A\$3,160	190	142*100*120
	tradeexDU12	High-speed handpiece tubing with connector 2 set Low-speed handpiece tubing with connector 1 set 3-way syringe(cold and hot) 2 pieces Strong and weak suction 1 set each Adjustable headrest 1 set Double armrest 1 set Top-mounted tool tray 1 set 5-position for handpieces, syringe and scaler Water suction and saliva ejector 1 set each LED operation lamp with sensor 1 set American style lamp arm 1 set 24V X-ray film viewer 1 set 24V DC motors 1 set Assistant control sytem with sensor control panel 1 set Water purified system 1 set 24V Water heating system 1 set Water bottle 1 pc Auto water supply and flush cuspidor system 1 set Turnable ceramic cuspidor 1 set 6 functions foot pedal 1 set Dentist stool 1 piece Micro fiber leather cushion 1 set Solenoid valve 2 pcs	A\$3,920	210kgs	142*100*130
	tradeexDU15	STANDARD EQUIPMENT(PU cushion): High speed air turbine handpiece tie-in -- 2 sets Low speed air turbine handpiece tie-in -- 1 set Three way syringe(cold/hot) -- 1 set each Automatic cup filler -- 1 set Water strong suction & saliva weak suction -- 1 set each Dental operation light -- 1 set Rotatable tempered glass spittoon -- 1 set Purified water-supplied system -- 1 set Dental stool -- 1 piece Inductive air-locked rotary arm system-- 1 set Electrical & gaseous integrated foot controller -- 1set Panoramic X-ray film viewer -- 1 set Comfortable backrest & seat -- 1 set Adjustable headrest -- 1 set Sanitary seamless cushion and backrest -- 1 set each	A\$2,360	230	143*100*114

	<p><b>tradeexDU16</b></p>	<p>STANDARD EQUIPMENT  Three way syringe(cold/hot) -- 1 set each  Automatic cup filler -- 1 set  Water strong suction &amp; saliva weak suction -- 1 set each  Dental operation light -- 1 set  Rotatable tempered ceramic spittoon -- 1 set  Purified water-supplied system -- 1 set  Dental stool -- 1 piece  Inductive air-locked rotary arm system -- 1 set  Multifunctional foot controller -- 1 set  Panoramic X-ray film viewer -- 1 set  24v noiseless DC motor -- 1 set  Comfortable backrest &amp; seat -- 1 set  High-grade adjustable headrest -- 1 set</p>	<p><b>A\$2,980</b></p>	<p>250</p>	<p>143*100*120</p>
	<p><b>MSLDU17</b></p>	<p>STANDARD EQUIPMENT (Top-mounted tool tray)  High speed air turbine hand piece tie-in 2 sets  Low speed air motor hand piece tie-in 1 set  Three way syringe(cold and hot) 1 set  Automatic cup filler 1 set each  Water strong suction &amp; saliva weak suction 1 set  Dental operation light 1 set  Retatable tempered ceramic spittoon 1 set  Purified water-supplied system 1 set  Dental stool 1 set  Inductive air -locked rotary arm system 1 set  Multifunctional foot controller 1 set  Panoramic X-ray film viewer 1 set  24v noiseless DC motor(compensate design) 1 set  Comfortable backrest &amp; seat 1 set  High-grade adjustable headrest 1 set</p>	<p><b>A\$3,780</b></p>	<p>250</p>	<p>143*100*120</p>
	<p><b>MSLDU18 (Leather Type)</b></p>	<p>STANDARD EQUIPMENT (Genuine leather):  Luxury motor chair control system with 12 memory 1 set  24v noiseless DC motor chair  Auto spittoon flushing and cup filler control system 1 set  Purified water-supplied system 1 set  Inductive air -locked rotary arm system 1 set  Retatable tempered glass spittoon 1 set  Multifunctional foot controller 1 set  Luxurious LED operation light 1 set  Panoramic X-ray film viewer 1 set  Dental stool C model 1set  Three ways syringe(cold and hot) 1 set  Pairs of water storage bottles 1(disinfection and storage water) 1 pcs  American tubes and pipes 1set  Genuine leather (with foldable headrest) 1 set</p>	<p><b>A\$5,300</b></p>	<p>300</p>	<p>158*104*141</p>
	<p><b>Handpiece set</b></p>	<p>High Speed Handpiece---2 set  Low Speed Handpiece---1 set</p>	<p><b>A\$380</b></p>	<p>Standard Package</p>	
	<p><b>Build in Light curing</b></p>	<p>Power Supply: AC100V~240V 50Hz-60Hz  Lithium battery: 3.7V 2200MA  Light power: Input power: 3W, Wavelength: 450nm~480nm  Light power: 1000mw/cm2  Solidification Time and Depth: 10s/3mm  Gross Weight: 1 KG Size: 300mmX200mmX90 mm</p>	<p><b>A\$200</b></p>	<p>Standard Package</p>	
	<p><b>Build in Scaler</b></p>	<p>Main unit input: ~24V 1.3A  Output power: 3W~20W  Frequency: 30kHz±3kHz  Water pressure : 0.01MPa~0.5MPa  Dimension: 125mm×72mm×36mm  Main unit weight: 0.45kg</p>	<p><b>A\$300</b></p>	<p>Standard Package</p>	
	<p><b>Air Compressor (one for one)</b></p>	<p>Air Compressor one for one SPECIFICATION:  Voltage: 110V/60Hz or 220V/50Hz, Power: 3/4HP  Airflow: 130L/min  Noise: 52dB(A)/40"  Tank: 30L (the color is optional)  Pressure: 8Bar  N.W: 24Kgs, G.W.: 27Kgs  Dimension: 45CMx45CMx70CM</p>	<p><b>A\$390</b></p>	<p>30kgs</p>	<p>50*50*75</p>

	<b>Oral Camera</b>	15 inch LCD Display, Samsung Brand	<b>A\$900</b>	15kgs	20*30*40
	<b>Portable X ray machine</b>	<ol style="list-style-type: none"> <li>1. No protective operation room is needed when installing the complete machine</li> <li>2. flexible adjustment the position and angle of handpiece, simple and easy to handle</li> <li>3. develop dental film in daylight, no need darkroom</li> <li>4. compact in volume and light in weight</li> <li>5. time is adjustable, high contrast of picture, imaging in focus</li> <li>6. Radiation leakage is in accordance with international standard (IEC601-1-3.1993)</li> </ol>	<b>A\$1,500</b>	6kgs	42x22x27
	<b>X ray dental</b>	<p>tube voltage: 70KV±10%  tube current: 8 mA±20%  exposal time: 0.2~4.0s  input power: &lt;600VA  output power: P≈339VA  irradiation diameter: 6cm  fuse: RF1-20- 5A  capacity: 70KV . 8 mA.  the way of operation :breake load;continuous operation  the weigh of x-ray source:7.5Kg  the variation rate of high-voltage generator 1:226</p>	<b>A\$1,840</b>	60kgs	139*25*52
	<b>X ray dental</b>	<p>Power Voltage: AC220 ± 10%  Frequency: 50/60Hz  Electric plug: Three-core (International / European standard)  Ultimate Capacity: 900VA  Electric Current: 4A  Fuse: 6.3A  Focus: 0.8mm  Rated High Voltage: 70KV ± 10%  Tube-Head Current: 7mA ± 15%  Anode Angle: 19°  Load Cycle: 1/60  Half Value Layer: 1.6mmAL under 70KV  Inherent Filtration: ≥2.1mm AL  Radiation Leakage: &lt; 0.07mGy/h  Exposure Time: 0.06-2.00s</p>	<b>A\$1,840</b>	31kgs	90*36*36
	<b>X ray sensor</b>	<p>Chip Type: CMOS APS  Fiber Optical Plate  Scintillator: GOS/CsI  Dimension: 27.5 x 38.5mm  Resolution 27lp/mm</p>	<b>A\$3,560</b>	2kgs	
	<b>Autoclave 18L</b>	<ul style="list-style-type: none"> <li>• CHAMBER SIZE : stainless steel #304 ; 18Liter ; (Ø)25×(D)35 CM</li> <li>• MACHINE SIZE : (L)58×(W)39×(H)36 CM</li> <li>• POWER : AC110V/900W/8A ; AC220V/900W/4A</li> <li>• TEMP/PRESSURE : 121°C/0.12Mpa ; 134°C/0.22Mpa</li> <li>• STERILIZATION TIME : 25Min / 6Min</li> <li>• SAFETY : Heating-over protection ; safety valve</li> <li>• TEMP CONTROL DESIGN : chip control</li> <li>• OPTIONAL ACCESSORIES :  tray basket × 1pc ; tray holder × 1pc  Sterilization tray × 3pcs ; steam exhaust pipe × 1pc</li> </ul>	<b>A\$800</b>	29kgs	62x46x41
	<b>Autoclave 18L class B</b>	<ul style="list-style-type: none"> <li>. Full automatic table top autoclave with pre set programs.</li> <li>. Complies with European standard EN13060.</li> <li>. In built independent rapid steam generator ensures quick sterilization cycles.</li> <li>. Rapid post sterilization vacuum drying.</li> <li>. User friendly interface.</li> <li>. LCD screen displaying time, temperature and pressure, process alert and instrument conditions.</li> <li>. Choice of language setting including: English, Spanish, German, Polish, French, Hungarian, Romanian, Dutch, Lithuanian, Latvian, Czech, Italian and Chinese.</li> <li>. Easily accessible watertank.</li> </ul>	<b>A\$1,860</b>	11kgs	36x36x42
<b>Warranty: one year</b>		<b>ALL MODELS HAVE CE CERTIFICATION</b>			
<b>Delivery time: 10 days</b>					